

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit					Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note
GSX130181(B,C,D,E)*	VSX130181(A,B,D,E)*	ASX130181(B,C,D)*	WAC4318AC*	WGAC4318AC*	All AHRI Matches	0.051	B1789851	1
GSX130181		ANX130181A*				0.051	B1789851	1
GSX130241(B,C,D)*	VSX130241(A,B,D)*	ASX130241(B,C)*	WAC4324AB*	WGAC4324AB*	All AHRI Matches	0.057	B1789857	1
	VSX130241E*				All AHRI Matches	0.055	B1789855	1
GSX130241		ANX130241A*				0.057	B1789857	1
GSX130241E*						0.055	B1789855	1
GSX130242A*					A24-00-2R*	0.055	B1789855	1
GSX130301(B,D)*	VSX130301(A,D)*	ASX130301(B,C)*	WAC4330AB*	WGAC4330AB*	All AHRI Matches	0.061	B1789861	1
GSX130301		ANX130301A*				0.061	B1789861	1
GSX130361(B,E)*	VSX130361(A,E)*	ASX130361(B,C,D)*	WAC4336AB*	WGAC4336AB*	All AHRI Matches	0.070	B1789870	1
GSX130361		ANX130361A*				0.070	B1789870	1
GSX130361D*	VSX130361D*				All AHRI Matches	0.067	B1789867	1
GSX130362A*					A36-00-2R*	0.065	B1789865	1
GSX130363A*					All AHRI Matches	0.070	B1789870	1
GSX130365A*					A36-00-2R*	0.065	B1789865	1
GSX130421B*	VSX130421(A,B)*	ASX130421(B,C)*	WAC4342AB*	WGAC4342AB*	All AHRI Matches	0.076	B1789876	1
GSX130421		ANX130421A*				0.076	B1789876	1
GSX130481B*	VSX130481A*	ASX130481(B,C)*	WAC4348AB*	WGAC4348AB*	All AHRI Matches	0.080	B1789880	1
	VSX130481A*				All AHRI Matches	0.080	B1789880	1
GSX130481		ANX130481A*				0.080	B1789880	1
GSX130483A*					All AHRI Matches	0.080	B1789880	1
GSX130484A*					All AHRI Matches	0.080	B1789880	1
GSX130485A*					A48-00-2R* A50-00-2R	0.076	B1789876	1
GSX130601B*	VSX130601B*	ASX130601(B,C)*	WAC4360AB*	WGAC4360AB*	All AHRI Matches	0.086	B1789886	1
GSX130601		ANX130601A*				0.086	B1789886	1
GSX130611A*	VSX130611A*	ASX130611A*			ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	2 1
GSX130611		ANX130611A*				0.086	B1789886	1
GSX130603A*					All AHRI Matches	0.086	B1789886	1
GSX130613A*					ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	2 1
GSX130604A*					All AHRI Matches	0.086	B1789886	1
GSX130605A*					A60-00-2R*	0.082	B1789882	1
GSX130614A*					ASUF49C14 All AHRI Matches	0.086 0.086	B1789886 B1789886	2 1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.



PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit					Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note
GSX140181A*	SSX140181B*	ASX140181(B,C,D)*	WAC4418AB*	WGAC4418AB*	AWUF31 & 32	0.051	B1789851	2
					All other AHRI Matches	0.052	B1789852	1
GSX140241A*	SSX140241B*	ASX140241(B,C)*	WAC4424AB*	WGAC4424AB*	AWUF 31	0.057	B1789857	2
					All Other AHRI Matches	0.055	B1789855	1
GSX140301A*	SSX140301B*	ASX140301(B,C)*	WAC4430AB*	WGAC4430AB*	AWUF 31 & 32	0.061	B1789861	2
					All Other AHRI Matches	0.065	B1789865	1
GSX140361A*	SSX140361B*	ASX140361(B,C)*	WAC4436AB*	WGAC4436AB*	All AHRI Matches	0.068	B1789868	1
GSX140421A*	SSX140421C*	ASX140421(C,D)*	WAC4442AC*	WGAC4442AC*	All AHRI Matches	0.070	B1789870	1
GSX140481A*	SSX140481B*	ASX140481C*	WAC4448AB*	WGAC4448AB*	All AHRI Matches	0.078	B1789878	1
	SSX140481A*	ASX140481B*	WAC4448AA*	WGAC4448AA*	All AHRI Matches	0.079	B1789879	1
GSX140601A*	SSX140601A*	ASX140601(A,B)*	WAC4460AA*	WGAC4460AA*	All AHRI Matches	0.088	B1789888	1
GSX140181K*	VSX140181A*	ASX140181K*			AWUF19	0.049	B1789849	2
					AWUF 31 & 32	0.051	B1789851	2
					All other AHRI Matches	0.052	B1789852	1
		ANX140181A*			AWUF 31 & 32	0.051	B1789851	2
					All other AHRI Matches	0.052	B1789852	1
GSX140181L*	VSX140181B*				All other AHRI Matches	0.051	B1789851	1
GSX140191L*	VSX140191A*	ASX140191K*			AWUF19	0.049	B1789849	2
					AWUF 31 & 32, ACNF25	0.051	B1789851	2
					All other AHRI Matches	0.053	B1789853	1
		ANX140191A*			AWUF 31 & 32	0.051	B1789851	2
					All other AHRI Matches	0.053	B1789853	1
GSX140241K*	VSX140241A*	ASX140241K*			AWUF25	0.055	B1789855	2
					All other AHRI Matches	0.057	B1789857	1
					All AHRI Matches	0.057	B1789857	1
GSX140241L*	VSX140241B*				ACNF25	0.055	B1789855	2
					All other AHRI Matches	0.057	B1789857	1
GSX140251K*	VSX140251A*	ASX140251K*			ACNF25	0.055	B1789855	2
					All other AHRI Matches	0.057	B1789857	1
					All AHRI Matches	0.057	B1789857	1
		ANX140251A*			All AHRI Matches	0.057	B1789857	1
GSX140301K*	VSX140301A*	ASX140301K*			AWUF 31 & 32	0.061	B1789861	2
					All other AHRI Matches	0.065	B1789865	1
					All AHRI Matches	0.065	B1789865	1
		ANX140301A*			AWUF 31 & 32	0.061	B1789861	2
					All other AHRI Matches	0.065	B1789865	1
GSX140311K*	VSX140311A*	ASX140311K*			AWUF 31 & 32	0.061	B1789861	2
					All other AHRI Matches	0.063	B1789863	1
					All AHRI Matches	0.063	B1789863	1
		ANX140311A*			AWUF 31 & 32	0.061	B1789861	2
					All other AHRI Matches	0.063	B1789863	1
GSX140361K*	VSX140361A*	ASX140361K*			All AHRI Matches	0.068	B1789868	1
					All AHRI Matches	0.068	B1789868	1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note	
GSX140371K*	VSX140371A*	ASX140371K*		All AHRI Matches	0.071	B1789871	1	
		ANX140371A*		All AHRI Matches	0.071	B1789871	1	
GSX140421K*	VSX140421A*	ASX140421K*		All AHRI Matches	0.074	B1789874	1	
		ANX140421A*		All AHRI Matches	0.074	B1789874	1	
GSX140481K*	VSX140481A*	ASX140481K*		All AHRI Matches	0.078	B1789878	1	
		ANX140481A*		All AHRI Matches	0.078	B1789878	1	
GSX140601K*	VSX140601A*	ASX140601K*		All AHRI Matches	0.088	B1789888	1	
		ANX140601A*		All AHRI Matches	0.088	B1789888	1	
GSX160181F*		ASX160181**		All AHRI Matches	TXV only	TXV-30	3	
GSX160241F*		ASX160241**		All AHRI Matches	TXV only	TXV-30	3	
GSX160301F*		ASX160301**		All AHRI Matches	TXV only	TXV-30	3	
GSX160361F*		ASX160361**		All AHRI Matches	TXV only	TXV-42	3	
GSX160421F*		ASX160421**		All AHRI Matches	TXV only	TXV-42	3	
GSX160481F*		ASX160481**		All AHRI Matches	TXV only	TXV-48	3	
GSX160601F*		ASX160601**		All AHRI Matches	TXV only	TXV-60	3	
GSX160181F*		ASX160181F*		All AHRI Matches	0.049	B1789849	1	
GSX160241F*		ASX160241F*		ACNF30	0.059	B1789859	1	
				All other AHRI Matches	0.057	B1789857	1	
GSX160301F*		ASX160301F*		ACNF30	0.063	B1789863	1	
				All other AHRI Matches	0.065	B1789865	1	
GSX160361F*		ASX160361F*		All AHRI Matches	0.072	B1789872	1	
GSX160421F*		ASX160421F*		All AHRI Matches	0.074	B1789874	1	
GSX160481F*		ASX160481F*		All AHRI Matches	0.078	B1789878	1	
GSX160601F*		ASX160601F*		All AHRI Matches	0.086	B1789886	1	
GSX160611F*		ASX160611F*		All AHRI Matches	TXV only	TXV-60	3	
GSX160611F*		ASX160611F*		All AHRI Matches	0.088	B1789888	1	
SSX160241B*			WAC4624AB*	WGAC4624AB*	All AHRI Matches	0.055	B1789855	1
SSX160301A*			WAC4630AA*		All AHRI Matches	0.062	B1789862	1
SSX160361(A,B)*			WAC4636AB*	WGAC4636AB*	All AHRI Matches	0.068	B1789868	1
SSX160421A*			WAC4642AA*		All AHRI Matches	0.070	B1789870	1
SSX160481(A,B)*			WAC4648A(A,B)*	WGAC4648A(A,B)*	All AHRI Matches	0.078	B1789878	1
SSX160591A*			WAC4659AA*		All AHRI Matches	TXV only	TX5N4	3
SSX160601(A,B)*				WGAC4660AA*	All AHRI Matches	TXV only	TX5N4	3
DSXC160241A*		ASXC160241B*		All AHRI Matches	TXV only	TX2N4A	3	
DSXC160361A*		ASXC160361B*		All AHRI Matches	TXV only	TX3N4	3	
DSXC160481(A,B)*		ASXC160481(A,B)*		All AHRI Matches	TXV only	TX5N4	3	
DSXC160601(A,B)*		ASXC160601(A,B)*		All AHRI Matches	TXV only	TX5N4	3	

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note	
DSXC180361A*		ASXC180361A*		All AHRI Matches	TXV only	TX3N4	3	
DSXC180481A*		ASXC180481A*		All AHRI Matches	TXV only	TX5N4	3	
DSXC180601A*		ASXC180601A*		All AHRI Matches	TXV only	TX5N4	3	
GSC130181(B,D,F,G,H)*				All AHRI Matches	0.055	B1789855	1	
GSC130241(D,E)*				All AHRI Matches	0.059	B1789859	1	
GSC130241F*				All AHRI Matches	0.061	B1789861	1	
GSC130301E*				All AHRI Matches	0.065	B1789865	1	
GSC130361(A*-F*/G*)				All AHRI Matches	0.074	B1789874	1	
GSC130363(A*, BA, BB)				All AHRI Matches	0.074	B1789874	1	
GSC130363B*				All AHRI Matches	0.071	B1789871	1	
GSC130421C*				All AHRI Matches	0.076	B1789876	1	
GSC130481B*				All AHRI Matches	0.082	B1789882	1	
GSC130481C*				All AHRI Matches	0.082	B1789882	1	
GSC130483B*				All AHRI Matches	0.082	B1789882	1	
GSC130483C*				All AHRI Matches	0.082	B1789882	1	
GSC130484A*				All AHRI Matches	0.082	B1789882	1	
GSC130484(BA, BB)				All AHRI Matches	0.082	B1789882	1	
GSC130484B*				All AHRI Matches	0.082	B1789882	1	
GSC130601C*				All AHRI Matches	0.093	B1789893	1	
GSC130601D*				All AHRI Matches	0.090	B1789890	1	
GSC130603B*				All AHRI Matches	0.093	B1789893	1	
GSC130603C				All AHRI Matches	0.090	B1789890	1	
GSC130604				All AHRI Matches	0.093	B1789893	1	
GSC130604B*				All AHRI Matches	0.090	B1789890	1	
GSZ130181A*	VSZ130181A*	ASZ130181A*	WHP4318AA*	WGHP4318AA*	All AHRI Matches	0.049	B1789849	4
GSZ130181A*	VSZ130181A*	ASZ130181A*			All AHRI Matches	0.051	B1789851	1
GSZ130181		ANZ130181A*				0.051	B1789851	1
GSZ130241(A,B)*	VSZ130241B*	ASZ130241(A,B)*	WHP43241A	WGHP4324AA	All AHRI Matches	0.057	B1789857	1
GSZ130241		ANZ130241A*				0.057	B1789857	1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

4) FOR GSZ130181A, ALL REVISIONS EXCEPT AD; FOR VSZ130181A, ALL REVISIONS EXCEPT AC; FOR ASZ13018A, ALL REVISIONS EXCEPT AE.

(5) FOR GSZ130301A, ALL REVISIONS EXCEPT AE; FOR VSZ130301A, ALL REVISIONS EXCEPT AD.

(6) FOR GSZ130421A, ALL REVISIONS EXCEPT AF; FOR VSZ130421A, ALL REVISIONS EXCEPT AE, FOR ASZ130421A, ALL REVISIONS EXCEPT AF.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit					Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note
GSZ130301A*	VSZ130301A*	ASZ130301A*	WHP43301A*	WGHP4330AA*	All AHRI Matches	0.065	B1789865	1
GSZ130301AE	VSZ130301AD				All AHRI Matches	0.065	B1789865	1
GSZ130301		ANZ130301A*				0.065	B1789865	1
GSZ130361B*	VSZ130361B*				ARUF36C	0.071	B1789871	2
					All AHRI Matches	0.070	B1789870	1
GSZ130361A*		ASZ130361A*	WHP43361A*	WGHP4336AA*	ARUF36C	0.071	B1789871	2
					AR*F3636	0.070	B1789870	2
					All Other AHRI Matches	0.068	B1789868	1
GSZ130361		ANZ130361A*			ARUF36C	0.071	B1789871	2
					AR*F3636	0.070	B1789870	2
					All Other AHRI Matches	0.068	B1789868	1
GSZ130363A*					AR*F3636	0.070	B1789870	2
					All Other AHRI Matches	0.068	B1789868	1
GSZ130421A*	VSZ130421A*	ASZ130421A*	WHP43421A*	WGHP4342AA*	All AHRI Matches	0.074	B1789874	6
GSZ130421A*	VSZ130421A*	ASZ130421A*			All AHRI Matches	0.072	B1789872	1
GSZ130421		ANZ130421A*				0.072	B1789872	1
GSZ130481A*	VSZ130481A*	ASZ130481A*	WHP43481A*	WGHP4348AA*	All AHRI Matches	0.078	B1789878	1
GSZ130481		ANZ130481A*				0.078	B1789878	1
GSZ130483A*					All AHRI Matches	0.078	B1789878	1
GSZ130484A*					All AHRI Matches	0.078	B1789878	1
GSZ130601A*	VSZ130601A*	ASZ130601A*	WHP43601A*	WGHP4360AA*	CHPF4860D6D*	0.086	B1789886	1
					All Other AHRI Matches	0.088	B1789888	1
GSZ130601		ANZ130601A*				0.088	B1789888	1
GSZ130603A*					CHPF4860D6D*	0.086	B1789886	1
					All Other AHRI Matches	0.088	B1789888	1
GSZ130604A*					CHPF4860D6D*	0.086	B1789886	1
					All Other AHRI Matches	0.088	B1789888	1
GSH130181(B,C)*					All AHRI Matches	0.055	B1789855	1
GSH130241(B,C)*					All AHRI Matches	0.061	B1789861	1
GSH130301(B,C)*					All AHRI Matches	0.067	B1789867	1
GSH130361(A, B)*					All AHRI Matches	0.071	B1789871	1
GSH130361(CA/CB)					All AHRI Matches	0.071	B1789871	1
GSH130361C*					All AHRI Matches	0.071	B1789871	1
GSH130363(AA-AE)					All AHRI Matches	0.071	B1789871	1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note	
GSH130363A*				All AHRI Matches	0.071	B1789871	1	
GSH130421A*				All AHRI Matches	0.082	B1789882	1	
GSH130421B*				All AHRI Matches	0.080	B1789880	1	
GSH130481(A, B)*				All AHRI Matches	0.084	B1789884	1	
GSH130483(A, B)*				All AHRI Matches	0.084	B1789884	1	
GSH130484A*				All AHRI Matches	0.084	B1789884	1	
GSH130601A*				All AHRI Matches	0.093	B1789893	1	
GSH130603A*				All AHRI Matches	0.093	B1789893	1	
GSH130604A*				All AHRI Matches	0.093	B1789893	1	
GSZ140181A*		ASZ140181A*	WHP4418AA*	WGHP4418AA*	AWUF31	0.051	B1789851	2
					ARUF30B14	0.052	B1789852	2
					All AHRI Matches	TXV only	TX2N4A	3
GSZ140241A*		ASZ140241A*	WHP4424AA*	WGHP4424AA*	AWUF31 & 32	0.057	B1789857	2
					All AHRI Matches	TXV only	TX2N4A	3
GSZ140301A*		ASZ140301A*	WHP4430AA*	WGHP4430AA*	AWUF31 & 32	0.065	B1789865	2
					ARUF30B14	0.065	B1789865	2
					All AHRI Matches	TXV only	TX3N4	3
GSZ140361A*			WHP4436A(A,B)*		All AHRI Matches	0.071	B1789871	1
GSZ140421A*			WHP4442AA*		All AHRI Matches	0.076	B1789876	1
GSZ140481A*			WHP4448AA*		All AHRI Matches	0.080	B1789880	1
GSZ140601A*			WHP4460AA*		All AHRI Matches	0.088	B1789888	1
		ASZ140361(A,B)*		WGHP4436A(A,B)*	All AHRI Matches	TXV only	TX3N4	3
		ASZ140421A*		WGHP4442AA*	All AHRI Matches	TXV only	TX5N4	3
		ASZ140481A*		WGHP4448AA*	All AHRI Matches	TXV only	TX5N4	3
		ASZ140601A*		WGHP4460AA*	ASUF59	0.088	B1789888	2
		ASZ140601A*		WGHP4460AA*	All AHRI Matches	TXV only	TX5N4	3
GSZ140181K*	VSZ140181A*	ASZ140181K*			All AHRI Matches	TXV only	TX2N4A	3
		ANZ140181A*			All AHRI Matches	TXV only	TX2N4A	3
GSZ140241K*	VSZ140241A*	ASZ140241K*			All AHRI Matches	TXV only	TX2N4A	3
		ANZ140241A*			All AHRI Matches	TXV only	TX2N4A	3
GSZ140301K*	VSZ140301A*	ASZ140301K*			All AHRI Matches	TXV only	TX3N4	3
		ANZ140301A*			All AHRI Matches	TXV only	TX3N4	3
GSZ140361K*	VSZ140361A*	ASZ140361K*			All AHRI Matches	TXV only	TX3N4	3
		ANZ140361A*			All AHRI Matches	TXV only	TX3N4	3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note
GSZ140421K*	VSZ140421A*	ASZ140421K*		All AHRI Matches	TXV only	TX5N4	3
		ANZ140421A*		All AHRI Matches	TXV only	TX5N4	3
GSZ140481K*	VSZ140481A*	ASZ140481K*		All AHRI Matches	TXV only	TX5N4	3
		ANZ140481A*		All AHRI Matches	TXV only	TX5N4	3
GSZ140491K*	VSZ140491A*	ASZ140491K*		All AHRI Matches	TXV only	TX5N4	3
		ANZ140491A*		All AHRI Matches	TXV only	TX5N4	3
GSZ140601K*	VSZ140601A*	ASZ140601K*		All AHRI Matches	TXV only	TX5N4	3
		ANZ140601A*		All AHRI Matches	TXV only	TX5N4	3
GSZ140181K*	VSZ140181A*	ASZ140181K*		All AHRI Matches	0.051	B1789851	2
		ANZ140181A*		All AHRI Matches	0.051	B1789851	2
GSZ140241K*	VSZ140241A*	ASZ140241K*		All AHRI Matches	0.057	B1789857	2
		ANZ140241A*		All AHRI Matches	0.057	B1789857	2
GSZ140301K*	VSZ140301A*	ASZ140301K*		All AHRI Matches	0.065	B1789865	2
		ANZ140301A*		All AHRI Matches	0.065	B1789865	2
GSZ140361K*	VSZ140361A*	ASZ140361K*		All AHRI Matches	0.072	B1789872	2
		ANZ140361A*		All AHRI Matches	0.072	B1789872	2
GSZ140421K*	VSZ140421A*	ASZ140421K*		All AHRI Matches	0.078	B1789878	2
		ANZ140421A*		All AHRI Matches	0.078	B1789878	2
GSZ140481K*	VSZ140481A*	ASZ140481K*		All AHRI Matches	0.080	B1789880	2
		ANZ140481A*		All AHRI Matches	0.080	B1789880	2
GSZ140491K*	VSZ140491A*	ASZ140491K*		All AHRI Matches	0.080	B1789880	2
		ANZ140491A*		All AHRI Matches	0.080	B1789880	2
GSZ140601K*	VSZ140601A*	ASZ140601K*		All AHRI Matches	0.088	B1789888	2
		ANZ140601K*		All AHRI Matches	0.088	B1789888	2
GSZ160181B*		ASZ160181L*		All AHRI Matches	TXV only	TX2N4A	3
GSZ160181B*		ASZ160181L*		ACNF31	0.051	B1789851	2
GSZ160241B*		ASZ160241L*		All AHRI Matches	TXV only	TX2N4A	3
GSZ160241B*		ASZ160241L*		ACNF31	0.061	B1789861	2
GSZ160301B*		ASZ160301L*		All AHRI Matches	TXV only	TX3N4	3
GSZ160361B*		ASZ160361L*		All AHRI Matches	TXV only	TX3N4	3
GSZ160421B*		ASZ160421L*		All AHRI Matches	TXV only	TX5N4	3
GSZ160481B*		ASZ160481L*		All AHRI Matches	TXV only	TX5N4	3
GSZ160601B*		ASZ160601L*		All AHRI Matches	TXV only	TX5N4	3

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.

PISTON KIT CHART

PKCG-4001M
January 2016



WARNING

IT IS ESSENTIAL THAT INDOOR AND OUTDOOR UNITS BE PROPERLY MATCHED. FAILURE TO FOLLOW THESE INSTRUCTIONS OR TO PROPERLY MATCH EVAPORATORS AND CONDENSERS CAN RESULT IN UNIT DAMAGE, PROPERTY DAMAGE AND/OR PERSONAL INJURY. NO WARRANTY CLAIM WILL BE HONORED FOR MIX-MATCHED SYSTEMS THAT FAIL TO ADHERE TO THE SPECIFIED PISTON SIZE.

Outdoor Unit				Indoor Unit	Indoor Piston Size or TXV	Piston or TXV Kit P/N	Note
SSZ140181A*				AWUF31 All AHRI Matches	0.051 TXV only	B1789851 TX2N4A	2 3
SSZ140241A*				AWUF 31 & 32 All Other AHRI Matches	0.057 TXV only	B1789857 TX2N4A	2 3
SSZ140301A*				AWUF 31 & 32 All Other AHRI Matches	0.065 TXV only	B1789865 TX3N4	2 3
SSZ140361(A,B)*				All AHRI Matches	0.071	B1789871	2
SSZ140381A*				All AHRI Matches	0.070	B1789870	1
SSZ140381A*		ASZ140381A*		All AHRI Matches	TXV only	TX3N4	3
SSZ140421A*				All AHRI Matches	0.076	B1789876	2
SSZ140481A*				All AHRI Matches	0.082	B1789882	2
SSZ140601A*				All AHRI Matches	0.088	B1789888	2
SSZ160241A*		ASZ160241(A,K)*		All AHRI Matches	TXV only	TX2N4A	3
SSZ160361A*		ASZ160361(A,K)*		All AHRI Matches	TXV only	TX3N4	3
SSZ160481A*		ASZ160481(A,K)*		All AHRI Matches	TXV only	TX5N4	3
SSZ160601(A,B)*		ASZ160601(A,K)*		All AHRI Matches	TXV only	TX5N4	3
DSZC160241A*		ASZC160241A*	WGHP4624AA*	All AHRI Matches	TXV only	TX2N4A	3
DSZC160361A*		ASZC160361A*	WGHP4636AA*	All AHRI Matches	TXV only	TX3N4	3
DSZC160481A*		ASZC160481A*	WGHP4648AA*	All AHRI Matches	TXV only	TX5N4	3
DSZC160601(A,B)*		ASZC160601(A,B)*	WGHP4660AB*	All AHRI Matches	TXV only	TX5N4	3
DSZC180361A*		ASZC180361A*	WGHP4836AA*	All AHRI Matches	TXV only	TX3N4	3
DSZC180481A*		ASZC180481A*	WGHP4848AA*	All AHRI Matches	TXV only	TX5N4	3
DSZC180601(A,B)*		ASZC180601(A,B)*	WGHP4860AB*	All AHRI Matches	TXV only	TX5N4	3
CKL36-1P*				All AHRI Matches	0.071	B1789871	1
CKL49-1P*				All AHRI Matches	0.080	B1789880	1
CKL60-1P*				All AHRI Matches	0.093	B1789893	1
CK60-3P*				All AHRI Matches	0.093	B1789893	1
CKF36-2P*				All AHRI Matches	0.068	B1789868	1
CKF36-5P*				All AHRI Matches	0.068	B1789868	1
CKF48-5P*				All AHRI Matches	0.080	B1789880	1
CKF60-5P*				All AHRI Matches	0.093	B1789893	1
CPKF36-2P*				All AHRI Matches	0.073	B1789873	1
CPKF36-5P*				All AHRI Matches	0.073	B1789873	1
CPKF48-5P*				All AHRI Matches	0.084	B1789884	1
CPKF60-5N*				All AHRI Matches	0.093	B1789893	1
CPKF60-5P*				All AHRI Matches	0.093	B1789893	1
CPKF61-5N*				All AHRI Matches	0.093	B1789893	1
CPKF61-5P*				All AHRI Matches	0.093	B1789893	1

(*) SIGNIFIES UNIT REVISION.

(1) CORRECT PISTON IS SUPPLIED WITH THE OUTDOOR UNIT.

(2) CORRECT PISTON IS SUPPLIED IN THE HIGHEST SALES VOLUME TESTED COMBINATION INDOOR UNIT. FOR ALL OTHER INDOOR COMBINATIONS, PISTON MUST BE PURCHASED FROM DISTRIBUTOR.

(3) TXV MUST BE PURCHASED SEPARATELY.