

## **Submittal Data Sheet**

Project Name:	
Location:	
Engineer:	
Submitted to:	
Submitted by:	
Reference:	

Approval:
Date:
Construction:
Unit #:
Drawing #:

#### Performance

Outdoor Unit Model No:	RXYQ168PBYD
Туре:	Non-Ducted / Ducted
Rated Cooling Capacity (Btu/hr):	160000
Nom Cooling Capacity (Btu/hr):	216000
Cooling Input Power (kW):	13.22
SEER:	N/A
IEER:	22.0/20.2
Rated Heating Capacity (Btu/hr):	180000
Nom Heating Capacity (Btu/hr):	243000
Heating Input Power (kW):	14.26
Heating COP (Btu/hr / Btu/hr):	3.95/3.70
HSPF:	N/A
Heating COP 17F (Btu/hr / Btu/hr):	2.65/2.45

Condensing Unit Type:	14-Ton VRV-III Heat Pump
Unit Combination:	RXYQ96PBYD RXYQ72PBYD
Rated Cooling	Indoor: 80°F DB/67°F WB
Conditions	Outdoor: 95°F DB/75°F WB
Rated Heating	Indoor: 70°F DB/60°F WB
Conditions	Outdoor: 47°F DB/43°F WB
Rated Piping Length (ft)	100 / 50
Rated Height Difference (ft	) 0

#### **Condensing Unit Details**

Power Supply (V/Hz/Ph):	460/60/3ph
Power Supply Connections:	L1, L2, L3 Ground
Min. Circuit Amps MCA (A):	21+16
Max. Overcurrent Protection (MOP)(A):	25+20
Max. Starting Current MSC(A):	69
Rated Load Amps RLA (A):	(3.9+8.4)+7.1
Dimensions Height (Inch):	66-1/8
Dimensions Width (Inch):	85-1/2
Dimensions Depth (Inch):	30-1/8
Net Weight (lbs):	633+433

Compressor Type:	Inverter
Capacity Control Range (%):	9 - 100
Capacity Index Limit:	84 - 218.4 (130%)
Airflow Rate (CFM):	8,230+6,350
Gas Pipe Connection (inch):	1-1/8
Liquid Pipe Connection (inch):	5/8
H/L Pressure Connection (inch):	
H/L Equalizing Connection (inch):	
Sound Pressure Level (dBA):	62
Sound Power Level (dBA):	
Max. No. of Indoor Units:	29

#### System Details

Refrigerant Type:	R-410A
Holding Refrigerant Charge (lbs):	21.4+16.5
Additional Charge (lbs/ft):	install data
Pre-charge Piping (Length ft):	-
Max. Pipe Length (Total ft):	
Max. Pipe Length (Vertical ft):	164 ft (295 ft) / 295 ft
Max Height Seperation (Ind to Ind ft,	):

23 - 110
0 - 77 / (-4) - 60




## **Submittal Data Sheet**

Approval:
Date:
Construction:
Unit #:
Drawing #:

### **Dimensional Drawing - Condensing Unit**

Daikin AC TRL Generated Submittal Data

RXYQ168PBYD



Daikin AC (Americas), Inc., 1645 Wallace Drive - Suite 110, Carrollton, TX 75006



## **Submittal Data Sheet**

Project Name:	
Location:	Approval:
Engineer:	Date:
Submitted to:	Construction:
Submitted by:	Unit #:
Reference:	Drawing #:



Daikin AC TRL Generated Submittal Data

# RXYQ168PBYD Std U.S. Warranty: 7yrs Compressor, 1yrs Parts

Daikin AC (Americas), Inc., 1645 Wallace Drive - Suite 110, Carrollton, TX 75006